

## Discussion Document for Suggestions to the URS

## Consideration for changes

The topics below were suggested by stakeholders (named) and were not directly adopted in the URS document. An explanation is given for each suggestion. The UR numbering refers to URS version 4.0 dated 16 March 20126.

| UR      | Proposed   | Suggested by   | Analysis   |
|---------|--|----------------|--|
| Overall | Many Requirements are<br>Functional rather than User<br>Requirements.  | D. Palmer      | The specifications in this document cover user, system and quality/regulatory requirements.  |
| Overall | Will the unique requirements<br>for other Life Sciences industry<br>segments be included, such as<br>Medical Devices, Cosmetics, etc?  | O. Gendrin     | Initially, the URS is focused on Pharma and Biotech but a future version might include specifics for other Life Sciences segments.           |
| UR-1.6  | Editing on small mobile devices is difficult to use. Also, breaks SYS-2.   | D. Palmer      | Users will choose if they utilize small mobile devices or not. The functionality is optional.  |
| UR-1.7  | Generalize to allow for biometric and other identification. Text messaging to verify access to the system should be allowed.   | D. Palmer      | Biometric identification is accepted. Texting verification is another method but not mainstream.   |
| UR-1.9  | Use the tem "search and filter by attributes and metadata"   | M. Bellero     | Metadata is another word for attributes. Rather than confuse the reader, we have stuck with one term. "search and filter" has been inserted. |
| UR-1.9  | Can the system search based on common metadata?  | K. VanLouvanee | Yes, search on metadata must be included.  |
| UR-1.9  | Would suggest that this can and should be broadened to reflect two requirements. First, system must be navigable in some visual way (specifying "folders" may be too restrictive) and a second requirement (probably as a nice to have) related to search. | K. VanLouvanee | We've made this requirement as flexible as possible.   |
| UR-1.10 | Is full-text search required?  | K. VanLouvanee | Requirement is made optional.<br>Each vendor will stand on their<br>merits.  |
| UR-1.11 | Date and time in the users local environment should be displayed   | D. Palmer      | Server will record on the audit trail<br>the UTC and users will see local<br>date & time   |
| UR-1.16 | Internal links support?  | O. Gendrin     | Internal links capability is inherent in MS WORD. Interlinking (between different documents) is a  |



## Discussion Document for Suggestions to the URS

|         |  |                | publishing function but must work within the system.  |
|---------|--|----------------|---|
| UR-1.18 | Font substitution may not be able to resolve   | D. Palmer      | Font substitution can cause serious problems during rendition. Embedded fonts can resolve the issue.  |
| UR-1.17 | PDF rendering is NOT a function of document management.                                | K. VanLouvanee | Yes, PDF is required and the format or version of PDF required varies by country.   |
| UR-2.1  | Users fulfilling multiple roles are not able to perform those roles under the same ID. | D. Palmer      | It is our opinion that the capability for a user performing multiple roles to log in once and their capabilities will be combined.  |
| UR2.8   | Is auto-population of attributes required?   | K. VanLouvanee | Some document types require this function, e.g. records (GMP).  |
| UR-3.1  | Is the required lifecycle a suggestion?  | D. Palmer      | This is a standard lifecycle taking into account all functions.   |
| UR-3.1  | Process for Archiving?   | O. Gendrin     | Archiving process is beyond the scope of this URS.  |
| UR-3.1  | Automated workflows not needed   | K. VanLouvanee | Yes, automated workflows are required. However they can be a power-override.  |
| UR-3.2  | There is no definition of how a document is edited (e.g. in native application)        | O. Gendrin     | We have chosen not to proscribe how a vendor provides this capability and have chosen to remain neutral to allow new technologies (e.g. SCA)  |
| UR-3.2  | Why follow the version scheme of 0.1, 1.0, etc?  | K. VanLouvanee | The major/minor version scheme has been well tested and ratified by the industry common practices.  |
| UR-3.2  | Is it necessary to force versions to always increment?                                 | S. Belina      | We have found that users that have the option to save as the same version will abuse it. The overhead of creating a new minor version is minimal compared to the risk of loosing valuable audit trail of changes. |
| UR-3.6  | Are we mandating a "For Approval" state of a document?                                 | K. VanLouvanee | Yes, according to the document lifecycle. This will allow for protection against editing while a document is being reviewed/approved.   |
| UR-3.9  | Purge minor versions upon approval   | M. Bellero     | This must be a business decision. Vendor should offer as a configuration option.  |
| UR-4.4  | Manifestation of e-signatures  | D. Palmer      | Currently in most solutions. The implications of Digital Signatures have not been considered.   |
| UR-6.1  | Is there a difference between someone who has "review"                                 | K. VanLouvanee | Yes, these are two different levels of access. Review access implies  |





## Discussion Document for Suggestions to the URS

|              | access and "view" access?  |                | annotation capability.   |
|--------------|--|----------------|--|
| UR-6.1       | External users?  | K. VanLouvanee | Business dictates the need to possibly virtualize various business functions. These external organizations will require restricted access.   |
| UR-7.1       | External groups need to approve and manage their own users.  |                | Functionality should be "rolebased" rather than "group. Rolegives functionality; Group sets access limitations.  |
| UR-8.1       | Does this refer to Controlled Printing?  | K. VanLouvanee | Yes. GMP Requirements are within scope of this URS.  |
| UR-8.1       | Document watermark with just one day valid?  | S. Belina      | Yes, this is a GMP requirement for specific controlled documents that are printed without control logs.  |
| UR-9.1       | Attributes visible to users with Consumer access   | K. VanLouvanee | READ access is provided to all Consumers. External Partners who have ANY access to the repository, will have an NDA on file and should have access to the documents allowed under the agreement. |
| UR-10.1      | Why is a Change Request necessary  | K. VanLouvanee | Change Requests are a requirement for GMP documents.   |
| SYS-2        | Why are performance thresholds included?   | K. VanLouvanee | These are basic systems capabilities where a user might be concerned. We have added a maximum recovery time.   |
| SYS-3        | Should system time be configurable?  | K. VanLouvanee | We set a standard time as a recommendation. It may become practical if the company later merges.   |
| SYS-G        | What about accessibility?  | K. VanLouvanee | See S-10.  |
| Mig-1        | What about migration from other sources such as file shares, hard drive or other noncompliant locations. | K. VanLouvanee | The actions desired are considered Import functionality for a validated system.  |
| Mig-2        | Restrict migration to only certain versions?   |                | System must be allowed to move all. Selection is a business decision.  |
| Appx-<br>C,D | These sections do not belong in a URS  | K. VanLouvanee | We have included Appendices C & D as educational material for a small Pharma (our target audience).  |